


STANDARD RANGES AVAILABLE IN THIS SIZE:
 200N TO 800N (20kg TO 80kg) MANUFACTURED IN ALUMINIUM ALLOY.
 1.25kN TO 5kN (125kg TO 500kg) MANUFACTURED IN STAINLESS STEEL.

COPYRIGHT/DESIGN RIGHT IN THIS DRAWING IS OWNED BY NOVATECH MEASUREMENTS LTD

IF IN DOUBT, ASK!

DO NOT SCALE



GJP	-	25-10-16	-	1
DRN	CHK	DATE	C/N No.	ISS

Novatech

Loadcell Design & Manufacture

83 Castleham Road, St-Leonards-on-Sea, East Sussex, TN38 9NT, England
 Tel: +44 (0) 1424 852744 Fax: +44 (0) 1424 853002
 email: info@novatechloadcells.co.uk

TOLERANCES

UNLESS OTHERWISE STATED
 W/OOUT DECIMAL (18) ±0.3
 ONE DECIMAL (18.0) ±0.1
 TWO DECIMALS (18.00) ±0.05
 ANGULAR ±1°

GENERAL NOTES

CORNERS TO BE CHAMFERED
 0.3x45° UNLESS OTHERWISE STATED
 DIMENSIONS IN MILLIMETRES (mm)
 REMOVE ALL SHARP EDGES

MATERIAL SEE NOTES

SCALE 1:1

DRN GJP CHK -

ACTIVE AREA -

GENERAL FINISH 1.6

TITLE F256 SIZE-1 FLAT BASE OUTLINE

DRG No. **F256-HIRE-1C**